

ALUWINDOOR[®]

Premium Aluminium Extrusions



RAILINGS



COMPANY PROFILE

ALUCOAT is specialized in surface treated aluminium architectural extrusion under the brand name of **ALUWINDOW** promoted by SANCHETI GROUP who are pioneers in aluminium extrusions and hardware trading, anodising & fabrication business since 1981.

In a quest to provide world class surface treated aluminium extrusions ALUCOAT is setup on 108000 Sq. Ft. area, with state of art equipments as well as advance processing technology for Powder coating, Poly Eurathene Coating, Floro Carbon Coating (PVDF) & Wood and Stone Grain Sublimation Coating.

Our commitment is to deliver customer better experience with unmatched quality product, right from procurement of material to final delivery, every aspect is thoroughly inspected by experienced team.















On conveyORIZED powder coating and liquid painting line, 7 tank pre treated aluminium extrusions are coated with reciprocated auto spray guns and powder management systems. 36 vacuum head double trolley wood grain transfer machine delivers superb quality wood coatings in huge volume. As a result today we are one of the largest supplier of surface treated aluminium extrusion in north India for system windows, wall panellings, facade, louvers & railings.

Backed by inhouse test laboratory to check coating film thickness, gloss level, colour deterioration, conical bend test, hammer test ensure quality check of process.


The process performance is accelerated by certification from market leaders Akzo Nobel.

In order to to cut down waiting time for surface treated door & window aluminium extrusion. **ALUCOAT** in house provide a large stock of aluminium extrusions (150 ton's of mill finish & powder coated) in multiple lengths and variety of finishes for ready to use. All systems of door and windows, wall panellings, facade, louvers & railings are technically designed to give optimum performance with classy looks.


HAND RAILS

|  |  |  | | | | | | | | | | | | | | | | | | |
|--|---|---|------------|---|---------|-------|--|---------|-------------|------------|---|---------|-------|--|---------|-------------|------------|---|---------|-------|
| <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7001</td> <td>3.100</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7001 | 3.100 | <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7002</td> <td>3.950</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7002 | 3.950 | <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7003</td> <td>5.200</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7003 | 5.200 |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7001 | 3.100 | | | | | | | | | | | | | | | | | | |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7002 | 3.950 | | | | | | | | | | | | | | | | | | |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7003 | 5.200 | | | | | | | | | | | | | | | | | | |
|  |  |  | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7004</td> <td>1.200</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7004 | 1.200 | <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7005</td> <td>1.950</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7005 | 1.950 | <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7006</td> <td>3.600</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7006 | 3.600 |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7004 | 1.200 | | | | | | | | | | | | | | | | | | |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7005 | 1.950 | | | | | | | | | | | | | | | | | | |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7006 | 3.600 | | | | | | | | | | | | | | | | | | |
|  |  |  | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7007</td> <td>4.500</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7007 | 4.500 | <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7008</td> <td>4.400</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7008 | 4.400 | <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7009</td> <td>5.100</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7009 | 5.100 |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7007 | 4.500 | | | | | | | | | | | | | | | | | | |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7008 | 4.400 | | | | | | | | | | | | | | | | | | |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7009 | 5.100 | | | | | | | | | | | | | | | | | | |
|  |  |  | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7010</td> <td>4.200</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7010 | 4.200 | <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7011</td> <td>3.500</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7011 | 3.500 | <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Section No.</th> <th>Wt. Kg/12'</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AT-7012</td> <td>5.200</td> </tr> </tbody> </table> | Sr. No. | Section No. | Wt. Kg/12' | 1 | AT-7012 | 5.200 |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7010 | 4.200 | | | | | | | | | | | | | | | | | | |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7011 | 3.500 | | | | | | | | | | | | | | | | | | |
| Sr. No. | Section No. | Wt. Kg/12' | | | | | | | | | | | | | | | | | | |
| 1 | AT-7012 | 5.200 | | | | | | | | | | | | | | | | | | |


HAND RAILS




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7013 | 4.000 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7014 | 3.840 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7015 | 4.560 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7016 | 4.250 |



| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7017 | 3.850 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7018 | 4.600 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7019 | 2.650 |


RAILING BOTTOM




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7020 | 3.100 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7021 | 7.600 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7022 | 11.200 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7023 | 13.200 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7024 | 19.600 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7025 | 9.250 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7026 | 7.600 |



| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7027 | 7.600 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7028 | 6.600 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7029 | 10.450 |


RAILING BOTTOM BRACKETS




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7030 | 000 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7031 | 000 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7032 | 000 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7033 | 000 |



| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7034 | 36.100 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7035 | 2.900 |




| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7036 | 27.600 |



| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7037 | 2.400 |



| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7038 | 14.100 |



| Sr. No. | Section No. | Wt. Kg/12' |
|---------|-------------|------------|
| 1 | AT-7039 | 1.800 |



ALUWINDOOR[®]
PREMIUM ALUMINIUM EXTRUSIONS

From the House of
ALU COAT

Office : B-13, Sudershanpura Ind Area
22 Godown, JAIPUR (Raj.) 302006
Tel. +91-141-2217936, 2213490
Mob. : 9414059936

Works : Old Plywood Factory
Main Tonk Road, Chaksu ,
Jaipur -303901 (Raj .) INDIA
Mob. : 9829082970

Web. : www.alucoatindia.com, E- mail : info@alucoatindia.com, alucoatindia@gmail.com